

REV.	DESCRIPTION	DATE
A		03-2014



1. PoE LED Indicators
2. RJ-45 Output Port
3. RJ-45 Input Port
4. Interlocking Feature
5. Panel Mounted Male Connector
6. Interlocking Feature
7. Wall-Mountable

## Technical Specifications

### Standards Compliance

IEEE 802.3 10BaseT  
 IEEE 802.3u 100BaseTx  
 RJ-45 10/100 Mbps

### PoE Power Output

Pin Assignment and Polarity: 4/5 (+), 7/8 (-)  
 Output Power Voltage: 52 VDC Maximal  
 Power: 15.4 Watts Maximum  
 Input Power AC Input Voltage: 100~240VAC  
 Requirements AC Input Current: 0.3A @ 100~240 VAC  
 AC Frequency: 50~60 Hz

### Dimensions (L x W x H)/ Weight

87.9 x 51.3 x 166mm/ 350g

### Indicators:

PoE (Orange)

### Environmental Conditions

Operating Temperature: 0~45°C  
 Storage Humidity: Maximum 95%, Non-condensing

### Regulatory

RoHS Compliant, CE/FCC

### Safety Approvals

EN 60950:2006



## Key Features

- Minimize the need for a bulky power adapter and power line
- Delivering power and data to equipment via a single Ethernet cable
- Internal power supply
- High safety with surge protection
- Remote power feeding up to 100 meters
- PnP, Light Weight and compact size
- Unique interlocking feature for easy installation

ITEM NUMBER	74X5-07112			DRAWER	JL
TITLE	1 Port PoE Injector, Adds Power to Standard Network Line			CHECKED	
				APPROVED	
MATERIAL		SCALE			
REV.	A	UNIT	MM		
DRAWING NO:				 888-212-8295.com	